

Name, address, and telephone number of

HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 1 of 9

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: HT 100

Product Code(s) : S70-701-16-10179

Recommended use of the chemical and restrictions on use

: Lubricating base stock.

Restriction on use: None known

Chemical family : Petroleum hydrocarbon.

Name, address, and telephone number

of the supplier:

the manufacturer: **Terrapure Environmental** Refer to supplier

130 Forester Street North Vancouver, BC, Canada

V7H 2M9

Supplier's Telephone # : (604) 982-2363

In case of transportation emergencies: (613) 996-6666 (CANUTEC) 24 Hr. Emergency Tel #

For other emergencies: (800) 567-7455 (Terrapure Environmental)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear, pale amber liquid. Hydrocarbon odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification: Aspiration Toxicity - Category 1

Label elements

Hazard pictogram(s)



Signal Word

Danger.

Hazard statement(s)

May be fatal if swallowed and enters airways.

Precautionary statement(s)

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.



Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9

Telephone: (604) 982 2363

HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 2 of 9

SAFETY DATA SHEET

Other hazards

Inhalation of fumes or mists may cause irritation to the nose, throat and upper respiratory tract. Prolonged contact with skin may cause skin irritatation. Vapours may irritate eyes. Ingestion may cause irritation of mouth, throat, and stomach, nausea, vomiting, and diarrhea.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Lubricating oils, refined	Lubricating oils, refined used	68476-77-7	100%

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Do not induce vomiting. Never give anything by mouth to an unconscious person. If

vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk

of aspiration. If irritation or symptoms develop, seek medical attention.

Inhalation : First Aid is normally not required. If INHALED excessively remove to fresh air. Get

medical attention if irritation develops and persists.

Wash with plenty of water and soap. Do not use solvents. Remove and wash Skin contact

contaminated clothing before re-use. If irritation or symptoms develop, seek medical

; Flush with large amounts of water for 15 minutes. If easy to do, remove contact lens, if Eve contact

worn. If irritation persists, seek prompt medical attention.

Most important symptoms and effects, both acute and delayed

: Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. . Inhalation of fumes or mists may cause irritation to the nose, throat and upper respiratory tract. Prolonged contact with skin may cause skin irritatation. Vapours may irritate eyes. Ingestion may cause irritation of mouth, throat, and stomach, nausea, vomiting, and diarrhea.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Aspiration hazard.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may

spread burning material.

Unsuitable extinguishing media

: None known.

Special hazards arising from the substance or mixture / Conditions of flammability

: None known.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Carbon oxides and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Special fire-fighting procedures



SDS Preparation Date (mm/dd/yyyy): 08/07/2016

S70-701-16-10179 Page 3 of 9

SAFETY DATA SHEET

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

HT 100

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

Methods and material for containment and cleaning up

: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Small Spills: Ventilate area of release. Remove all sources of ignition. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Large Spills: For large spills on surfaces other than pavement (e.g. soil or sand), spills may be handled by digging up and removing the affected surface and placing it in approved containers. Notify the appropriate authorities as required.

Special spill response procedures

: If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use in a well-ventilated area. Wear suitable protective equipment during handling. Avoid breathing vapours, fumes or mists. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and open flames. Avoid contact with incompatible

materials. Wash thoroughly after handling.

Store in a cool, dry, well-ventilated area. Storage area should be clearly identified, Conditions for safe storage

clear of obstruction and accessible only to trained and authorized personnel. Inspect

periodically for damage or leaks. No smoking in the area.

: Strong oxidizing agents (e.g. chlorates; nitrates; peroxides). Incompatible materials

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIH TLV		OSHA PEL		
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	STEL	
Lubricating oils, refined	N/Av	N/Av	N/Av	N/Av	

Exposure controls

Ventilation and engineering measures

: Use in a well-ventilated area. General mechanical ventilation and local exhaust is recommended for use with this product.



HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 4 of 9

SAFETY DATA SHEET

Respiratory protection: Not required under normal conditions of handling. Respiratory protection is required

if the concentrations exceed the TLV. NIOSH-approved respirators are recommended.

Advice should be sought from respiratory protection specialists.

Skin protection: Not required under normal conditions of handling. For prolonged skin exposure,

gloves impervious to the material are recommended. Advice should be sought from

glove suppliers.

Eye / face protection : Safety glasses with side shields should be used with this product. Chemical goggles

are recommended when there is a potential for splashing. Do not wear contact

lenses.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate

working area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing vapours, fumes or mists. Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it

thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear, pale amber.

Odour : Hydrocarbon

Odour threshold : N/Av pH : N/Ap

Melting/Freezing point : Pour point -18 °C

Initial boiling point and boiling range

: > 300°C

Flash point : > 190°C

Flashpoint (Method) : Cleveland Open Cup

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not Flammable

Lower flammable limit (% by vol.)

N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties: Not known.Explosive properties: N/AvVapour pressure: N/AvVapour density: > 1

Relative density / Specific gravity

: 0.846 @ 15.6°C

Solubility in water : Immiscible
Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av **Decomposition temperature** : N/Av

Viscosity : 18.9 cSt @ 40°C

Volatiles (% by weight) : <0.5g/L Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap



HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 5 of 9

SAFETY DATA SHEET

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not expected to be reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Avoid heat and open flame. Keep away from direct sunlight. Do not use in areas

without adequate ventilation. Avoid contact with incompatible materials.

Incompatible materials : Strong oxidizing agents (e.g. chlorates; nitrates; peroxides).

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Inhalation of fumes or mists may cause irritation to the nose, throat and upper

respiratory tract.

Sign and symptoms ingestion

: Aspiration hazard. May be fatal if swallowed and enters airways. May cause irritation

of mouth, throat, and stomach. May cause nausea, stomach pain and vomiting.

Sign and symptoms skin : May cause skin irritation. Prolonged contact, such as when trapped against the skin

under clothing or jewelry, may be more irritating.

Sign and symptoms eyes : Vapours may irritate eyes. May cause mild, transient discomfort to eyes.

Potential Chronic Health Effects

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching

skin.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: Not classified as a specific target organ toxicity - repeated exposure. Not classified as

a specific target organ toxicity-single exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials : None known or reported by the manufacturer.

Toxicological data : See below for toxicological data on the substance.



HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 6 of 9

SAFETY DATA SHEET

	LC50(4hr)	LDe	50
Chemical name	<u>inh, rat</u>	(Oral, rat)	(Rabbit, dermal)
Lubricating oils, refined	N/Av	N/Av	N/Av

Other important toxicological hazards

: See Section 2 for additional information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity data:

Ingradianta	CAC No	Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.		

<u>Ingredients</u>	CAS No	AS No Toxicity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor	
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.	

<u>Ingredients</u>	CAS No	Toxicity to Algae					Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor					
Lubricating oils, refined	68476-77-7	N/Av	N/Av	None.					

Persistence and degradability

: Not expected to be rapidly biodegradable.

Bioaccumulation potential: No data is available on the product itself.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Lubricating oils, refined (CAS 68476-77-7)	N/Av	N/Av

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal : Handle waste according to recommendations in Section 7. Empty containers retain

residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on

or near this container.

Methods of Disposal: Dispose of in accordance with federal, provincial and local hazardous waste laws.

Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9

Telephone: (604) 982 2363

S70-701-16-10179 HT 100

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 7 of 9

SAFETY DATA SHEET

RCRA

Under the RCRA, it is the responsibility of the waste generator to determine the proper waste identification and disposal method.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	Not regulated	none	
TDG Additional information	None.	!			
49CFR/DOT	None.	Not regulated.	not regulated	none	\otimes
49CFR/DOT Additional information	None.	!			
ICAO/IATA	None.	Not regulated.	not regulated	none	\otimes
ICAO/IATA Additional information	None.	!	-		
IMDG	None.	Not regulated.	not regulated	none	\otimes
IMDG Additional information	None.	!		!	_

Special precautions for user: Keep away from heat, sparks and open flame. - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture,

according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: No information available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

			TSCA Penortah		CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	nts CAS#	Quantity(RQ) (4 CFR 117.302)		Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration			
Lubricating oils, refined	68476-77-7	Yes	N/Ap	N/Av	No	N/Ap			



Terrapure Environmental 130 Forester Street North Vancouver, BC, Canada, V7H 2M9

Telephone: (604) 982 2363

HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 8 of 9

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California	State "Right to Know" Lists						
	3110 11	Listed	Type of Toxicity	cicity CA MA MN	MN	NJ	PA	RI	
Lubricating oils, refined	68476-77-7	No	N/Ap	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Lubricating oils, refined	68476-77-7	270-697-6	Present	Not listed	Not listed	Not listed	Present	Not listed

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations **DOT: Department of Transportation** EPA: Environmental Protection Agency

EST: Eastern Standard Time

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

LC: Lethal Concentration

LD: Lethal Dose N/Ap: Not Applicable N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System



HT 100 S70-701-16-10179

SDS Preparation Date (mm/dd/yyyy): 08/07/2016

Page 9 of 9

SAFETY DATA SHEET

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &

Biological Exposure Indices for 2016

2. International Agency for Research on Cancer Monographs, searched 2016

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2016(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists - 2016 version.6. California Proposition 65 List - 2016 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal,2016.

Preparation Date (mm/dd/yyyy)

08/07/2016

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating : *- Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

Health: 1 Flammability: 1 Reactivity: 0

NFPA Rating 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe

: Health: 1 Flammability1 Instability: 0 Special Hazards: None

Prepared for:

Terrapure Environmental 130 Forster Street North Vancouver, BC V7H 2M9 Telephone: 604-982-2363

Telephone: 604-982-2363 http://www.terrapureenv.com/



Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from Terrapure Environmental and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Terrapure Environmental expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and Terrapure Environmental.

END OF DOCUMENT